

1. Shnaider I, **Chung F**. Outcomes in day surgery. *Current Opinion in Anaesthesiology* 2006; 19:
2. **Chung F**, Ward B, Ho J, Yuan H, Kayumov L, Shapiro C. Preoperative identification of sleep apnea risk in elective surgical patients using the Berlin questionnaire. *J Clin Anesth* 2007; 19: (in press)
3. Awad I, **Chung F**. Factors affecting recovery and discharge following ambulatory surgery. *Can J Anesth* 2006; 53:858-72.
4. **Chung F**, Ward B, Ho J, Yuan H, Kayumov L, Shapiro C. Preoperative identification of sleep apnea risk in elective surgical patients using the Berlin questionnaire. *J Clin Anesth* 2007; 19:
5. Lermite J, **Chung, F**. Patient selection in ambulatory anesthesia. *Curr Opin Anaesthesiol* 2005; 18:598-602.
6. **Chung F**, Kayumov L, Sinclair DR, Edward R, Moller HJ, Shapiro CM: What is the driving performance of ambulatory surgical patients after general anesthesia? *Anesthesiology* 2005; 103: 951-6.
7. Yuan H, **Chung F**, Wong D, Edward R: Current preoperative testing practices in ambulatory surgery are widely disparate: a survey of CAS members. *Can J Anesth* 2005; 52:675-9.
8. Ward B, Imarengiaye C, Peirovy J, **Chung F**: Cognitive function is minimally impaired after ambulatory surgery. *Can J Anesth* 2005; 52:1017-21.
9. **Chung F**, Imasogie N, Ho J, Ning X, Prabhu A, Curti B: Frequency and implications of ambulatory surgery without an escorts. *Can J Anesth* 2005; 52:1022-6
10. Wong DT, Lai K, **Chung FF**, Ho RY: Cannot intubate-cannot ventilate and difficult intubation strategies: results of a Canadian national survey. *Anesth Analg* 2005; 100:1439-46.
11. Yogendran S, Prabhu A, Hendy A, McGuire G, Imarengiaye C, Wong J, **Chung F**: Vital capacity and patient controlled sevoflurane inhalation result in similar induction characteristics. *Can J Anesth* 2005; 52:45-9
12. McGrath B, Elgendy H, **Chung F**, Kamming D, Curti B, King S: Thirty Percent of Patients have Moderate to Severe Pain 24 hours after Ambulatory Surgery: A survey of 5,703 patients. *Can J Anesth* 2004; 51:886-91.
13. Wong DT, Kamming D, Salenieks ME, Go K, Kohm C, **Chung F**: Preadmission anesthesia consultation using telemedicine technology: A pilot study. *Anesthesiology* 2004; 100:1605-7.

14. Segev F, Voineskos AN, Hui G, Law MS, Paul R, **Chung F**, Slomovic AR. Combined topical and intracameral anesthesia in penetrating keratoplasty. *Cornea* 2004; 23: 372-6.
15. Bryson GL, **Chung F**, Finegan BA, Friedman Z, Miller DR, van Vlymen J, Cox RG, Crowe MJ, Fuller J, Henderson C: Patient selection in ambulatory anesthesia: An evidence-based review, Part 1. *Can J Anesth* 2004; 51:768-81.
16. Bryson GL, **Chung F**, Cox RG, Crowe MJ, Fuller J, Henderson C, Finegan BA, Friedman Z, Miller DR, van Vlymen J: Patient selection in ambulatory anesthesia: An evidence-based review, Part 2. *Can J Anesth* 2004; 51:782-94.
17. Brull R, McCartney CJL, Chan VWS, **Chung F**, Rawson R: Are Patients Comfortable Consenting To Clinical Anesthesia Research Trials On The Day Of Surgery? *Anesth Analg* 2004; 98:1106-10.
18. Song D, **Chung F**, Ronayne M, Ward B, Yogendran S, Sibbick C: Fast-Tracking (bypassing the PACU) Does Not Reduce Nursing Workload after Ambulatory Surgery. *Br J Anaesth* 2004; 93:768-74.
19. Friedman Z, **Chung F**, Wong DT: Ambulatory surgery Adult Patient Selection Criteria – A Survey of Canadian Anesthesiologists. *Can J Anesth* 2004; 51:437-43.
20. Kamming D, **Chung F**, Williams D, McGrath BM, Curti B: Pain Management in Ambulatory Surgery. *J Perianesth Nurse* 2004; 19:174-82.
21. Watt-Watson J, **Chung F**, Chan VWS, McGillion M: Pain management following discharge after ambulatory same-day surgery. *Journal of Nursing Management* 2004; 12:153-61.
22. Viscusi ER, Reynolds L, **Chung F**, Atkinson LE, Khanna S. Patient controlled analgesia for acute postoperative pain: comparison of safety and efficacy of transdermal fentanyl HCL system to intravenous morphine pump. *JAMA* 2004; 291: 1333-41.
23. **Chung F**, Tong D, Miceli PC, Reiz J, Harsanyi Z, Darke AC, Payne LW: Controlled-Release Codeine is Equivalent to Acetaminophen Plus Codeine for Post-Cholecystectomy Analgesia. *Can J Anesth* 2004; 51:216-21.
24. Zhao SZ, **Chung F**, Hanna DB, Raymundo AL, Cheung RY, Chen C: Dose response relationship between opioid use and adverse effects after ambulatory surgery. *J Pain Symptom Manage* 28:35-46, 2004
25. Kamming D, Gardham M, **Chung F**: Anesthesia and SARS. *Br J Anaesth* 2003; 90:715-8.

26. Wong DT, Prabhu AJ, Coloma M, Imasogie N, **Chung FF**: What is the Minimum Training Required for Successful Cricothyriodotomy? A study in mannequins. *Anesthesiology* 2003; 98:349-53.
27. Tong D, Wong J, **Chung F**, Friedlander M, Bremang J, Mezei G, Streiner D: Prospective Study on Incidence and Functional Impact of Transient Neurological Symptoms Associated with 1% versus 5% Hyperbaric Lidocaine in Short Urological Procedures. *Anesthesiology* 2003; 98:485-94.
28. Sinclair D; **Chung F**; Smiley A: General anesthesia does not impair simulator driving skills in volunteers in the immediate recovery period – a pilot study. *Can J Anesth* 50:238-45, 2003.
29. Imarengiaye C, Song D, Prabhu A, **Chung F**: Spinal anesthesia: Functional balance is impaired after clinical recovery. *Anesthesiology* 98:511-15, 2003.
30. Armanious S, Wong D, Etchells, E, Higgins P, **Chung F**: Successful implementation of perioperative beta-blockade utilizing a multidisciplinary approach. *Can J Anesth* 50:135-6, 2003.
31. Shaikh S, **Chung F**, Imarengiaye C, Yung D, Bernstein M. Pain and Nausea and Vomiting Following Ambulatory Microdiscectomy. *Can J Anesth* 50:514-8, 2003
32. Imasogie N, Wong DT, Luk K, **Chung F**: Elimination of routine testing inpatients undergoing cataract surgery allows substantial savings in laboratory costs. A brief report. *Can J Anesth* 50:246-8, 2003
33. Gelb AW, Salevsky F, **Chung F**, Ringaert K, McTaggart-Cowan RMC, Wong T, Manninen P, Francis K: Remifentanyl with morphine for transitional analgesia results in more rapid neurological recovery than Fentanyl in patients undergoing elective supratentorial craniotomy. *Can J Anesth* 2003; 50:946-52.
34. Gan T J, Meyer T, Apfel C, **Chung F**, Davis PJ, Eubanks S, Kovac A, Philip B, Sessler DI, Tmo J, Tramer M, Watcha M: Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg* 2003; 97:62-71.
35. McGrath B, **Chung F**: Postoperative Recovery and Discharge. *Anesthesiology Clin N Am* 2003; 21:367-86.
36. ASA Task Force on Practice Advisory on Recovery Room Discharge Criteria, American Society of Anesthesiologists. Practice guideline for Postanesthesia care: A report by the American society of anesthesiologists task force for postanesthesia care. *Anesthesiology* 2002; 96; 742-52.
37. Imasogie N, Crago R, Leyland NA, **Chung F**: Probable gas embolism during operative hysteroscopy caused by products of combustion. *Can J Anesth* 2002; 49:1044-47.

38. Rocchi A, **Chung F**, Forte L: Canadian survey of post surgical pain and pain medications experience. *Can J Anesth* 49:1053-56, 2002.
39. Imasogie N, **Chung F**: Risk factors for prolonged stay after ambulatory surgery: economic consideration. *Current Opinions in Anesthesiology* 15:245-249, 2002.
40. **Chung F**, Imarengiaye C: Management of sleep apnea in adults. *Can J Anesth* 49:R13-R17, 2002.
41. Jenkins K, **Chung F**, Wennberg R, Etchells E, Davey R: Case Report: Fat Embolism Syndrome and Knee Arthroplasty. *Can J Anesth* 49:19-24, 2002.
42. Wong J, Song D, **Chung F**, Blanshard H, Grady D: Titration of isoflurane using BIS index improves early recovery profiles in elderly patients undergoing orthopedic surgeries. *Can J Anesth* 49:13-18, 2002.
43. Higgins PP; **Chung F**; Mezei G: Postoperative Sore Throat after Ambulatory Surgery. *Br J Anaesth* 88:582-4, 2002.
44. Song D, **Chung F**, Yogendran S, Wong J: The assessment of postural stability after ambulatory anesthesia: A comparison of desflurane with propofol. *Anesth Analg* 94:60-4, 2002.
45. Song D, **Chung F**, Yogendran S, Wong J: Evaluation of postural stability following low-dose droperidol in outpatients undergoing gynaecological dilatation and curettage procedure. *Br J Anaesth* 88:819-23, 2002.
46. Armanious S, **Chung F**: Quality Management in Ambulatory Surgery. *Problems in Anesthesia* 13:458-67, 2002.
47. Jin FL, **Chung F**: Multimodal analgesia for postoperative pain control. *J of Clin Anesth* 13:524-540, 2001.
48. Jin FL, **Chung F**: Minimizing perioperative adverse events in the elderly. *Br J Anaesth.* 87: 608-624, 2001.
49. Prabhu A; **Chung F**: Anaesthetic strategies towards Development in Day Care Surgery. A Review. *Eur J Anaesth* 18(23):36-42, 2001.
50. Song D, **Chung F**: Fast-tracking in ambulatory anesthesia. *Can J Anesth* 48:622-25, 2001.
51. Imasogie N; **Chung F**: Effect of return hospital visits on economics of ambulatory surgery. *Current Opinions in Anesthesiology* 14:573-8, 2001.

52. Correa R, Menezes RB, Wong J, Yogendran S, Jenkins K, **Chung F**: Compliance with postoperative instruction. A telephone survey of 750 day surgery patients. *Anaesthesia* 56: 481-4, 2001. This paper was accompanied by an editorial: Postoperative instructions: good compliance but is the advice sound? *Anaesthesia* 56:405-7, 2001.
53. Wong J; Marshall S; **Chung F**; Sinclair D; Song D; Tong D: Spinal anesthesia improves the early recovery profile of patients undergoing ambulatory knee arthroscopy. *Can J Anesth* 48; 369-74, 2001.
54. Norris A, Un V, **Chung F**, Thanamayooran S, Sandler A, Katz J: When Should Diclofenac be Given in Ambulatory Surgery – Preoperatively or Postoperatively? *J Clin Anesth* 13:11-15, 2001.
55. Grady D; McHardy F; **Chung F**; Jin F; Tong D; Wong J: Pharyngolaryngeal morbidity with the laryngeal mask airway in spontaneously breathing patients: does size matter? *Anesthesiology* 94:760-6, 2001.
56. Blanshard HJ, **Chung F**, Manninen P, Taylor MD, Bernstein M: Awake craniotomy for removal of intracranial tumour: Consideration for early discharge. *Anesth Analg* 2001; 92:89-94
57. Jenkins K; Grady D; Wong J; Correa R; Armanious S; **Chung F**: Postoperative Recovery: Day Surgery Patients' Preferences. *Br J Anaesth* 86:272-4, 2001.
58. Wong J, Ritchie E, **Chung F**, Marshall S, McHardy F, Fortier J: Intraoperative versus postoperative morphine improves analgesia without increasing PONV on emergence from ambulatory surgery. *Can J Anesth* 47:1090-3, 2000.
59. Jenkins K, **Chung F**: Complications of Ambulatory Anesthesia. *Current Anesthesiology Reports* 4:288-298, 2000.
60. Arellano R; **Chung F**: Omission of nitrous oxide from a propofol based anesthetic does not affect the recovery of women undergoing outpatient gynecological surgery. *Anesthesiology* 93:332-9, 2000.
61. **Chung F**; Mulier JP, Scholz J; Breivik H; Araujo M; Hjelle K; Upadhyaya BK; Haigh C: A comparison of remifentanyl based anesthesia with isoflurane, enflurane or propofol in patients undergoing gynecological laparoscopy, varicose vein or arthroscopic surgery. *Acta Anaesthesiol Scand* 44:790-8, 2000.
62. McHardy FE, Fortier J, **Chung F**, Krishnathas A, Marshall SI: A Comparison of Midazolam, Alfentanil and Propofol for Sedation in Outpatient Intraocular Surgery. *Can J Anesth* 47:211-14, 2000.
63. Wong S; **Chung F**: Succinylcholine - Associated Postoperative Myalgia. *Anaesthesia* 55:144-52, 2000.