

Posterior Cervical Microdiscectomy



UHN

Information for patients and families after day surgery

Patient Education
Improving Health Through Education

Krembil Neuroscience Centre

This information is to be used for informational purposes only and is not intended as a substitute for professional medical advice, diagnosis or treatment. Please consult your health care provider for advice about a specific medical condition. A single copy of these materials may be reprinted for non-commercial personal use only.

© 2003 University Health Network. All rights reserved.

Author: Dr. Eric Massicotte

Created: 11/2005

Form: D-5214



University Health Network

Toronto General Hospital Toronto Western Hospital Princess Margaret Hospital

Page 1 of 5

Instructions For Going Home

Call your **Spinal surgeon**:

- If you notice signs of wound infection.
The signs are:
 - fever higher than 101.3°F or 38.3°C for more than 24 hours
 - increased redness, swelling, drainage and pain from the incision.
 - difficulty urinating.

Call your **Family Doctor**:

- Within one week of going home to make an appointment for a check up.
- To renew or change your pain medication prescription.
- If you have not had a bowel movement within 72 hours.

Incision

- There are no stitches to be removed. The steri-strip or Band-Aid will peel off within 48-72 hours. You can throw it away.

Showering

- Do not shower until 3 or 4 days after your surgery. Use a towel to gently pat dry the incision.
- You may shampoo your hair in the shower.
- For 3 weeks after your surgery, do not soak in the bath.

Food

- Start with liquids and progress to your normal food when you can tolerate it.

Pain Management

- You will be given a prescription for pain medicine. Take the medicine as prescribed.
- Some pain is normal after surgery. It will improve each day. It is better to slowly reduce the medicine than to suddenly stop taking it.

Medications

- Ask your doctor if it's ok to take medications you were on before surgery (e.g. heart pills, blood pressure pills etc.).

Activities:

Walking


- Walking is very good for you.
- Start with 10 minute walks and increase to 20 minutes by 2 weeks after your surgery.
- Take lots breaks and walk at a comfortable pace.

Lifting

- Do not lift anything heavier than 10 lbs until your surgeon tells you it's ok.
- Pick things up by bending your knees. Do not bend at the waist.

Sitting

- Sit for only 20 minutes at a time. You can sit for longer as you feel more comfortable.
- Always roll on to your side to sit up from lying down. See the diagram below.



Lying on your back, bend your knees up.

Turn to one side like a log.

Bring your feet and legs off the bed.

At the same time, push your body off using your arms.

Driving

- Do not drive until your surgeon tells you it's ok.
- If you have to travel, take lots of breaks to stretch your legs.
- Put your seat back for comfort.

Sports

- Do not do any sports until your surgeon tells you it's ok.

Return To Work:

- Talk to your surgeon about when you should go back to work.
- When you go back to work will depend on what kind of a job you have.

Follow-Up Appointment

Your follow-up visit will be within

- 6-8 weeks
 4-6 weeks
 other _____

My appointment is booked in:

- Spinal Cord Clinic
Spinal cord clinic is located on the
4th Floor, West Wing
Tel: 416-603- 5463
- Doctor's office

Doctor's Office Telephone Numbers:

Neurosurgeons

Dr. Mark Bernstein	(416) 603-6499
Dr. Michael Fehlings	(416) 603-5627
Dr. Fred Gentili	(416) 603-5250
Dr. Ab Guha	(416) 603-5740
Dr. Mojgan Hodaie	(416) 603-6441
Dr. Andres Lozano	(416) 603-6200
Dr. Eric Massicotte	(416) 603-5675
Dr. Charles Tator	(416) 603-5889
Dr. Michael Tymianski	(416) 603-5896
Dr. Taufik Valiante	(416) 603-5460
Dr. Chris Wallace	(416) 603-5428

Orthopedic-Spine Surgeons

Dr. Steve Lewis	(416) 603-5851
Dr. Raj Rampersaud	(416) 603-5399

For more information, please contact Rosalie Magtoto, BScN, Spinal Program