



	Sexual Concern	Who to talk to
	↓desire	<ul><li>Social worker</li><li>Behavior therapy</li></ul>
	↓erection ↓vaginal lubrication	<ul><li>Nurse</li><li>Doctor</li><li>Pharmacist</li></ul>
Series of the se	↓orgasm	

Adapted and modified by Toronto Rehab's Intimacy after Stroke Working Group in 2019 from: *Sexual Health Framework* © 2017, Mitchell S Tepper, PhD, MPH, mitch@drmitchelltepper.com, Reprint with Attribution.



Sexual Concern	Who to talk to
<ul> <li>Difficult to move around</li> <li>Using a wheelchair/ walker</li> <li>Genitals hurt</li> <li>Sex is difficult</li> </ul>	<ul> <li>Physiotherapist</li> <li>Occupational therapist</li> <li>Nurse</li> <li>Doctor</li> </ul>
<ul><li>Need help to pee</li><li>Need help to poop</li><li>Catheter</li></ul>	<ul><li>Nurse</li><li>Doctor</li></ul>
↓sexual-esteem ↓feeling sexy	<ul> <li>Social worker</li> <li>Spiritual care</li> </ul>
<ul> <li>Emotions are different</li> <li>Feeling sad, mad, depressed</li> </ul>	<ul> <li>Social worker</li> <li>Spiritual care</li> </ul>

Adapted and modified by Toronto Rehab's Intimacy after Stroke Working Group in 2019 from: *Sexual Health Framework* © 2017, Mitchell S Tepper, PhD, MPH, mitch@drmitchelltepper.com, Reprint with Attribution.



 Sexual Concern	Who to talk to
<ul><li>Scared to date</li><li>Feeling distant</li><li>Problem with partner</li></ul>	<ul><li>Social worker</li><li>Spiritual care</li></ul>
<ul> <li>Aphasia</li> <li>Difficulty speaking</li> <li>Difficulty understanding</li> <li>Hard to talk to partner</li> </ul>	<ul> <li>Social worker</li> <li>Speech language pathologist</li> </ul>
<ul><li>Getting pregnant</li><li>Having a child</li></ul>	<ul> <li>Doctor</li> <li>Pharmacist</li> </ul>
• Safe sex	<ul> <li>Doctor</li> <li>Pharmacist</li> </ul>
Something else?	





Adapted and modified by Toronto Rehab's Intimacy after Stroke Working Group in 2019 from: *Sexual Health Framework* © 2017, Mitchell S Tepper, PhD, MPH, mitch@drmitchelltepper.com, Reprint with Attribution.